

**Illinois**

Implementation  
Guide  
For  
**E**lectronic  
**D**ata  
**I**nterchange

Transaction Set  
ANSI ASC X12 Version 004010

**810**

**Invoice – Rate Ready UCB**

Version x.x

## Summary of Changes

Month #, 2008

- Initial Release.

## Implementation Notes

Purpose	<ul style="list-style-type: none"><li>• This document is used to define the requirements of the “Rate Ready” Utility Consolidated Bill. Under this scenario, the Utility calculates the RES’s portion of the bill using rates provided in advance by the RES. The Utility presents the consolidated bill to the customer.</li></ul>
Billing Options by Utility	<ul style="list-style-type: none"><li>• Ameren supports Rate Ready Utility Consolidated Billing, Bill Ready Utility Consolidated Billing, RES Consolidated Billing (Single Bill Option) and Dual Billing.</li><li>• ComEd supports Bill Ready Utility Consolidated Billing, RES Consolidated Billing (Single Bill Option) and Dual Billing.</li></ul>
Cross Reference between 867, 810, 820	<ul style="list-style-type: none"><li>• CPWG has established a Cross Reference Number to tie together the 867, 810 and 820 transactions for UCB/POR, where appropriate.<ul style="list-style-type: none"><li>○ The 867 initiates the Cross Reference Number in the BPT02 field</li><li>○ The Cross Reference Number then appears in the 810 Invoice (Bill Ready and Rate Ready) in the BIG05.</li><li>○ The Cross Reference Number is finally provided in the 820 UCB Remittance Advice transaction in the REF*6O segment for UCB/POR.</li></ul></li></ul>
Implementation of Service Point (Ameren)	<ul style="list-style-type: none"><li>• Ameren Mass Market<ul style="list-style-type: none"><li>○ The Service Point Number will be sent in REF*LU.</li></ul></li><li>• Ameren Non-Mass Market<ul style="list-style-type: none"><li>○ The Service Point Number will be sent in REF*LU.</li></ul></li></ul>
Cancel/Rebill	<ul style="list-style-type: none"><li>• In the event that the utility needs to cancel/rebill due to usage, the RES charges will automatically be canceled.<ul style="list-style-type: none"><li>○ Utility sends 867 Cancel</li><li>○ Utility sends corresponding 810 Cancel</li></ul></li><li>• The values will be identical in sign to the original bill. The differences include the BIG08, which will show the cancel code “01”, and an additional segment to provide the Original Invoice Number (REF~OI).</li><li>• The cancel must always be sent before the rebill, but may occur on the same day within the same ISA.</li><li>• The rebill will always be coded as an original (BIG08 = “00”) and will have no reference to the original or cancel 810s.</li></ul>
Purchase of Receivables	<ul style="list-style-type: none"><li>• At this time, the Utility Consolidated Billing and Purchase of Receivables are tied together. An account cannot participate in one program without also participating in the other. Therefore, no Balance segments have been included in this Implementation Guideline.</li></ul>
Budget Billing	<ul style="list-style-type: none"><li>• Not supported.</li></ul>

# 810 Invoice

Functional Group ID=**IN**

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Invoice Transaction Set (810) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the billing for goods and services provided.

## Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	ST	Transaction Set Header	M	1		
M	020	BIG	Beginning Segment for Invoice	M	1		
	050	REF	Reference Identification	O	12		
LOOP ID - N1						200	
	070	N1	Name	O	1		
	130	ITD	Terms of Sale/Deferred Terms of Sale	O	>1		
	160	PID	Product/Item Description	O	200		

## Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - IT1						200000	
	010	IT1	Baseline Item Data (Invoice)	O	1		
	120	REF	Reference Identification	O	>1		
	150	DTM	Date/Time Reference	O	10		
LOOP ID - SLN						1000	
	200	SLN	Subline Item Detail	O	1		
	230	SAC	Service, Promotion, Allowance, or Charge Information	O	25		

## Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	TDS	Total Monetary Value Summary	M	1		
	070	CTT	Transaction Totals	O	1		n1
M	080	SE	Transaction Set Trailer	M	1		

## Transaction Set Notes

- Number of line items (CTT01) is the accumulation of the number of IT1 segments. If used, hash total (CTT02) is the sum of the value of quantities invoiced (IT102) for each IT1 segment.

**Segment:** **ST** Transaction Set Header  
**Position:** 010  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of a transaction set and to assign a control number  
**Syntax Notes:**  
**Semantic Notes:** 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).  
**Comments:**  
**Notes:** Required  
 ST~810~000000001

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	ST01	143 Transaction Set Identifier Code Code uniquely identifying a Transaction Set 810 Invoice	M ID 3/3
Must Use	ST02	329 Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

**Segment:** **BIG** Beginning Segment for Invoice  
**Position:** 020  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the beginning of an invoice transaction set and transmit identifying numbers and dates

**Syntax Notes:**

- Semantic Notes:**
- 1 BIG01 is the invoice issue date.
  - 2 BIG03 is the date assigned by the purchaser to purchase order.
  - 3 BIG10 indicates the consolidated invoice number. When BIG07 contains code CI, BIG10 is not used.

**Comments:** 1 BIG07 is used only to further define the type of invoice when needed.

**Notes:** Required

BIG~20090101~1234567890-20090101.001~~~2009010100000-867.00001~~ME~00

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	BIG01	373	<b>Date</b>	M DT 8/8
			Date expressed as CCYYMMDD	
			Invoice Date - the date that appears on the customer's invoice.	
Must Use	BIG02	76	<b>Invoice Number</b>	M AN 1/22
			Identifying number assigned by issuer	
			A unique transaction identification number assigned by the originator of this transaction. This number must be unique over time. This number will be sent in the RMR Loop REF*IK of the 820 and/or the OTI03 of the 824.	
			Invoice Numbers will only contain uppercase letters (A to Z), digits (0 to 9), dashes (-) and periods (.). Note that all other characters (spaces, underscores, etc.) must be excluded.	
Must Use	BIG05	328	<b>Release Number</b>	O AN 1/30
			Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction	
			The cross-reference number originally transmitted in the 867 in the BPT02 must be sent in the BIG05 of the 810 and in the RMR loop REF~6O of the 820.	
			For a cancelled invoice, the cross-reference number originally transmitted in the BPT02 of the cancelled usage transaction must be sent in the BIG05 of the 810.	
Must Use	BIG07	640	<b>Transaction Type Code</b>	O ID 2/2
			Code specifying the type of transaction	
			FE Memorandum, Final Bill	
			Designates a final bill for the customer for the specified RES.	
			ME Memorandum	
			Regular Bill	
Must Use	BIG08	353	<b>Transaction Set Purpose Code</b>	O ID 2/2
			Code identifying purpose of transaction set	
			00 Original	
			01 Cancellation	

**Segment:** **REF** Reference Identification (RES Account Number)  
**Position:** 050  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:** Required if provided on the 814 Enrollment or 814 Change transactions.  
REF~11~1234567890

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier	M ID 2/3
			Code qualifying the Reference Identification	
			11 Account Number	
			RES Account Number	
Must Use	REF02	127	Reference Identification	X AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			RES Account Number	

**Segment:** **REF** Reference Identification (Utility Account Number)  
**Position:** 050  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:**

Required  
 Both utilities currently have 10 digit account numbers. All 10 digits, including leading zeros must be provided.  
 REF~12~0000445648~GROUPA

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification 12 Billing Account Utility Account Number	M ID 2/3
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Utility Account Number	X AN 1/30
Must Use	REF03	352	<b>Description</b> A free-form description to clarify the related data elements and their content This code indicates the current class of customer in regards to the POR Eligibility groups as of the time the transaction is sent. GROUPA Ameren or ComEd POR Eligibility Group A GROUPB Ameren or ComEd POR Eligibility Group B GROUPE ComEd POR Eligibility Group C NONPOR Account Not Eligible for POR (Ameren or ComEd)	X AN 1/80

**Segment:** **REF** Reference Identification (Service Point Identifier)  
**Position:** 050  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:**

Ameren: Required  
 ComEd: Not Used

Ameren currently uses an 8-digit Service Point number. All 8 digits, including leading zeros must be provided.  
 REF~LU~00721660

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier	M ID 2/3
			Code qualifying the Reference Identification	
			LU Location Number	
			Service Point Identifier	
Must Use	REF02	127	Reference Identification	X AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			Service Point Identifier	

**Segment:** **REF** Reference Identification (Original Invoice Number)  
**Position:** 050  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:** Required on 810 Cancel (BIG08 = 01), otherwise Not Used  
REF~OI~654967897120090101

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification OI Original Invoice Number	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Original Invoice Number (BIG02) of the transaction being canceled.	X AN 1/30

**Segment:** **REF** Reference Identification (Bill Presenter)  
**Position:** 050  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:** Required  
REF~BLT~LDC

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification BLT Billing Type Bill Presenter	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier LDC Utility Presents the Consolidated Bill to the Customer	X AN 1/30

**Segment:** **REF** Reference Identification (Bill Calculator)  
**Position:** 050  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:** Required  
REF~PC~LDC

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification PC Production Code Bill Calculator	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier LDC Utility Calculates the RES Charges	X AN 1/30

**Segment:** **REF** Reference Identification (Payment Option)  
**Position:** 050  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:** Required  
REF~9V~Y

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 9V Payment Category Indicates whether the customer is to be part of the Purchase of Receivables (POR) program.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier N Customer is not part of the POR Program Y Customer is part of the POR Program	X AN 1/30

**Segment:** **N1** Name (Utility)  
**Position:** 070  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
 2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
 2 N105 and N106 further define the type of entity in N101.  
**Notes:** Required  
 N1~8S~UTILITY NAME~1~007909411

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	N101	98 Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 8S Consumer Service Provider (CSP) Utility	M ID 2/3
Must Use	N102	93 Name Free-form name Utility Name	X AN 1/60
Must Use	N103	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	X ID 1/2
Must Use	N104	67 Identification Code Code identifying a party or other code Utility D-U-N-S or D-U-N-S+4 Number	X AN 2/80

**Segment:** **N1** Name (Retail Electric Supplier)  
**Position:** 070  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
 2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
 2 N105 and N106 further define the type of entity in N101.  
**Notes:** Required  
 N1~SJ~RES COMPANY~1~049612345

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	N101	98 Entity Identifier Code	M ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual	
		SJ Service Provider	
		Retail Electric Supplier (RES)	
Must Use	N102	93 Name	X AN 1/60
		Free-form name	
		RES Name	
Must Use	N103	66 Identification Code Qualifier	X ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)	
		1 D-U-N-S Number, Dun & Bradstreet	
		9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	
Must Use	N104	67 Identification Code	X AN 2/80
		Code identifying a party or other code	
		RES D-U-N-S or D-U-N-S+4 Number	

**Segment:** **N1** Name (Customer)  
**Position:** 070  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
 2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
 2 N105 and N106 further define the type of entity in N101.  
**Notes:** Required  
 N1~8R~CUSTOMER NAME

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 8R Consumer Service Provider (CSP) Customer Customer Name	M ID 2/3
Must Use	N102	93	Name Free-form name Customer Name	X AN 1/60

**Segment:** **ITD** Terms of Sale/Deferred Terms of Sale  
**Position:** 130  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify terms of sale  
**Syntax Notes:**

- 1 If ITD03 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 2 If ITD08 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 3 If ITD09 is present, then at least one of ITD10 or ITD11 is required.

**Semantic Notes:**

- 1 ITD15 is the percentage applied to a base amount used to determine a late payment charge.

**Comments:**

- 1 If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

**Notes:** Required  
ITD~~~~~20100125

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element</b>		
Must Use	ITD06	446 Terms Net Due Date	O DT 8/8
		Date when total invoice amount becomes due expressed in format CCYYMMDD	
		Payment Due Date for the Customer	

**Segment:** **PID** Product/Item Description  
**Position:** 160  
**Loop:**  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 200  
**Purpose:** To describe a product or process in coded or free-form format  
**Syntax Notes:**

- 1 If PID04 is present, then PID03 is required.
- 2 At least one of PID04 or PID05 is required.
- 3 If PID07 is present, then PID03 is required.
- 4 If PID08 is present, then PID04 is required.
- 5 If PID09 is present, then PID05 is required.

**Semantic Notes:**

- 1 Use PID03 to indicate the organization that publishes the code list being referred to.
- 2 PID04 should be used for industry-specific product description codes.
- 3 PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
- 4 PID09 is used to identify the language being used in PID05.

**Comments:**

- 1 If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
- 2 Use PID06 when necessary to refer to the product surface or layer being described in the segment.
- 3 PID07 specifies the individual code list of the agency specified in PID03.

**Notes:** Required if RES included Messages on the Portal, otherwise, Not Used.

Ameren allows two 142-character bill messages to be included on the customer bill. Multiple PID segments will be used to send the bill messages.

PID06 will be used to distinguish between Bill Message 1 (PID06=R1) and Bill Message 2 (PID06=R2).

PID07 will be used to distinguish between the first 80 characters of either message and the remaining characters if necessary. The first 80 characters will be sent on line 1 (PID07=1) and the remainder on line 2 (PID07=2).

The example below shows two messages, R1 and R2. The second message exceeds 80 characters and therefore requires two PID segments (PID07 = 1 and 2 respectively).

```
PID~F~~EU~~Thank you for your business!~R1~1
PID~F~~EU~~Choosing clean electricity is one of the easiest things you can do to
make a dif~R2~1
PID~F~~EU~~ference for the environment.~R2~2
```

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PID01	349	<b>Item Description Type</b> Code indicating the format of a description F Free-form	M ID 1/1
Must Use	PID03	559	<b>Agency Qualifier Code</b> Code identifying the agency assigning the code values EU Electric Utilities	X ID 2/2
Must Use	PID05	352	<b>Description</b> A free-form description to clarify the related data elements and their content Bill Message Text	X AN 1/80
Must Use	PID06	752	<b>Surface/Layer/Position Code</b> Code indicating the product surface, layer or position that is being described R1 Relative Position 1	O ID 2/2

				Bill Message 1
		R2		Relative Position 2
				Bill Message 2
<b>Must Use</b>	<b>PID07</b>	<b>822</b>	<b>Source Subqualifier</b>	<b>O AN 1/15</b>
			A reference that indicates the table or text maintained by the Source Qualifier	
			This element will be used to indicate the order for the print sequence for each bill message.	
			1	First Portion of the Bill Message
			2	Remaining Portion of the Bill Message

**Segment:** **IT1** **Baseline Item Data**  
**Position:** 010  
**Loop:** IT1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify the basic and most frequently used line item data for the invoice and related transactions

- Syntax Notes:**
- 1 If any of IT102 IT103 or IT104 is present, then all are required.
  - 2 If either IT106 or IT107 is present, then the other is required.
  - 3 If either IT108 or IT109 is present, then the other is required.
  - 4 If either IT110 or IT111 is present, then the other is required.
  - 5 If either IT112 or IT113 is present, then the other is required.
  - 6 If either IT114 or IT115 is present, then the other is required.
  - 7 If either IT116 or IT117 is present, then the other is required.
  - 8 If either IT118 or IT119 is present, then the other is required.
  - 9 If either IT120 or IT121 is present, then the other is required.
  - 10 If either IT122 or IT123 is present, then the other is required.
  - 11 If either IT124 or IT125 is present, then the other is required.

**Semantic Notes:** 1 IT101 is the purchase order line item identification.

- Comments:**
- 1 Element 235/234 combinations should be interpreted to include products and/or services. See the Data Dictionary for a complete list of IDs.
  - 2 IT106 through IT125 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

**Notes:** Required  
IT1~1~~~~~SV~ELECTRIC~C3~RATE

#### Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	IT101	350	<b>Assigned Identification</b> Alphanumeric characters assigned for differentiation within a transaction set Sequential Line Item Counter	O AN 1/20
Must Use	IT106	235	<b>Product/Service ID Qualifier</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) SV Service Rendered	X ID 2/2
Must Use	IT107	234	<b>Product/Service ID</b> Identifying number for a product or service ELECTRIC	X AN 1/48
Must Use	IT108	235	<b>Product/Service ID Qualifier</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) C3 Classification	X ID 2/2
Must Use	IT109	234	<b>Product/Service ID</b> Identifying number for a product or service RATE Charges at a Utility Rate Class Level	X AN 1/48

**Segment:** **REF** Reference Identification (RES Rate Code)  
**Position:** 120  
**Loop:** IT1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:**

Required  
REF~RB~ABC123  
REF~RB~ABC123~GREEN POWER

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification RB Rate code number RES Rate Code	M ID 2/3
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier RES Rate Code	X AN 1/30
	REF03	352	<b>Description</b> A free-form description to clarify the related data elements and their content Rate Code Description	X AN 1/80

**Segment:** **REF** Reference Identification (RES Product Name)  
**Position:** 120  
**Loop:** IT1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**  
**Notes:**

Ameren: Required if populated by the RES

On the Ameren customer bill, they have allowed a text line for the RES to include a Product Name above their charges. This name may be up to 32 characters and if not populated will be left blank on the customer's bill.

REF~PG~~GREEN PRODUCT

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification PG Product Group RES Product Name	M ID 2/3
Must Use	REF03	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80

**Segment:** **DTM** Date/Time Reference (Service Period Start Date)  
**Position:** 150  
**Loop:** IT1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 The full service period must match the dates in the PTD~SU Loops of the corresponding 867 Monthly Usage or 867 Monthly Interval Usage transaction.  
 DTM~150~20091115

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	DTM01	374	Date/Time Qualifier	M ID 3/3
			Code specifying type of date or time, or both date and time	
			150 Service Period Start	
Must Use	DTM02	373	Date	X DT 8/8
			Date expressed as CCYYMMDD	
			Service Period Start Date	

**Segment:** **DTM** Date/Time Reference (Service Period End Date)  
**Position:** 150  
**Loop:** IT1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 The full service period must match the dates in the PTD~SU Loops of the corresponding 867 Monthly Usage or 867 Monthly Interval Usage transaction.  
 DTM~151~20091215

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	DTM01		374	Date/Time Qualifier	M ID 3/3
				Code specifying type of date or time, or both date and time	
				151 Service Period End	
Must Use	DTM02		373	Date	X DT 8/8
				Date expressed as CCYYMMDD	
				Service Period End Date	

**Segment:** **SLN** Subline Item Detail

**Position:** 200

**Loop:** SLN Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Purpose:** To specify product subline detail item data

**Syntax Notes:**

- 1 If either SLN04 or SLN05 is present, then the other is required.
- 2 If SLN07 is present, then SLN06 is required.
- 3 If SLN08 is present, then SLN06 is required.
- 4 If either SLN09 or SLN10 is present, then the other is required.
- 5 If either SLN11 or SLN12 is present, then the other is required.
- 6 If either SLN13 or SLN14 is present, then the other is required.
- 7 If either SLN15 or SLN16 is present, then the other is required.
- 8 If either SLN17 or SLN18 is present, then the other is required.
- 9 If either SLN19 or SLN20 is present, then the other is required.
- 10 If either SLN21 or SLN22 is present, then the other is required.
- 11 If either SLN23 or SLN24 is present, then the other is required.
- 12 If either SLN25 or SLN26 is present, then the other is required.
- 13 If either SLN27 or SLN28 is present, then the other is required.

**Semantic Notes:**

- 1 SLN01 is the identifying number for the subline item.
- 2 SLN02 is the identifying number for the subline level. The subline level is analogous to the level code used in a bill of materials.
- 3 SLN03 is the configuration code indicating the relationship of the subline item to the baseline item.
- 4 SLN08 is a code indicating the relationship of the price or amount to the associated segment.

**Comments:**

- 1 See the Data Element Dictionary for a complete list of IDs.
- 2 SLN01 is related to (but not necessarily equivalent to) the baseline item number. Example: 1.1 or 1A might be used as a subline number to relate to baseline number 1.
- 3 SLN09 through SLN28 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

**Notes:** Required - Each SLN loop will only contain one SAC. Multiple charges/allowances require multiple SLN loops.  
SLN~1~~A

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	SLN01	350 Assigned Identification	M AN 1/20
		Alphanumeric characters assigned for differentiation within a transaction set	
		Sequential Line Item Counter	
Must Use	SLN03	662 Relationship Code	M ID 1/1
		Code indicating the relationship between entities	
		A Add	

**Segment:** SAC Service, Promotion, Allowance, or Charge Information  
**Position:** 230  
**Loop:** SLN Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 25  
**Purpose:** To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

- Syntax Notes:**
- 1 At least one of SAC02 or SAC03 is required.
  - 2 If either SAC03 or SAC04 is present, then the other is required.
  - 3 If either SAC06 or SAC07 is present, then the other is required.
  - 4 If either SAC09 or SAC10 is present, then the other is required.
  - 5 If SAC11 is present, then SAC10 is required.
  - 6 If SAC13 is present, then at least one of SAC02 or SAC04 is required.
  - 7 If SAC14 is present, then SAC13 is required.
  - 8 If SAC16 is present, then SAC15 is required.

- Semantic Notes:**
- 1 If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
  - 2 SAC05 is the total amount for the service, promotion, allowance, or charge. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
  - 3 SAC08 is the allowance or charge rate per unit.
  - 4 SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
  - 5 SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
  - 6 SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
  - 7 SAC16 is used to identify the language being used in SAC15.

- Comments:**
- 1 SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
  - 2 In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

**Notes:** Required - Invoice line item charge or allowance.  
 SAC~C~~EU~ENC001~1000~~.1~KH~1000~~~~ENERGY CHARGE 1000 KWH  
 .10/KWH

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SAC01	248	Allowance or Charge Indicator Code which indicates an allowance or charge for the service specified C Charge	M ID 1/1
Must Use	SAC03	559	Agency Qualifier Code Code identifying the agency assigning the code values EU Electric Utilities	X ID 2/2
Must Use	SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code Agency maintained code identifying the service, promotion, allowance, or charge ADJ001 Adjustment BAS001 Basic Customer Charge DMD001 Demand Charge DMD006 Off Peak Demand Charge DMD007 On Peak Demand Charge	X AN 1/10

			ENC001	Energy Charge		
			ENC003	Off-Peak Energy Charge		
			ENC039	On Peak Energy Charge		
<b>Must Use</b>	<b>SAC05</b>	<b>610</b>	<b>Amount</b>		<b>O</b>	<b>N2 1/15</b>
			Monetary amount			
			This field must be signed if it is negative. The SAC08 multiplied by the SAC10 must always equal the SAC05.			
<b>Must Use</b>	<b>SAC08</b>	<b>118</b>	<b>Rate</b>		<b>O</b>	<b>R 1/9</b>
			Rate expressed in the standard monetary denomination for the currency specified			
			This field must be signed if it is negative. The SAC08 multiplied by the SAC10 must always equal the SAC05.			
<b>Must Use</b>	<b>SAC09</b>	<b>355</b>	<b>Unit or Basis for Measurement Code</b>		<b>X</b>	<b>ID 2/2</b>
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
			EA	Each		
			K1	Kilowatt Demand		
			KH	Kilowatt Hour		
<b>Must Use</b>	<b>SAC10</b>	<b>380</b>	<b>Quantity</b>		<b>X</b>	<b>R 1/15</b>
			Numeric value of quantity			
			This field may not be negative. The SAC08 multiplied by the SAC10 must always equal the SAC05.			
<b>Must Use</b>	<b>SAC15</b>	<b>352</b>	<b>Description</b>		<b>X</b>	<b>AN 1/80</b>
			A free-form description to clarify the related data elements and their content			

**Segment:** **TDS** Total Monetary Value Summary  
**Position:** 010  
**Loop:**  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To specify the total invoice discounts and amounts  
**Syntax Notes:**  
**Semantic Notes:**

- 1 TDS01 is the total amount of invoice (including charges, less allowances) before terms discount (if discount is applicable).
- 2 TDS02 indicates the amount upon which the terms discount amount is calculated.
- 3 TDS03 is the amount of invoice due if paid by terms discount due date (total invoice or installment amount less cash discount).
- 4 TDS04 indicates the total amount of terms discount.

**Comments:**

- 1 TDS02 is required if the dollar value subject to discount is not equal to the dollar value of TDS01.

**Notes:** Required  
TDS~10000

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element</b>	<b>Amount</b>	<b>M N2 1/15</b>
Must Use	TDS01	610	Amount
		Monetary amount	

The total amount due for this invoice which must equal the algebraic sum of the amounts in the SAC05 segments. This field must be signed if it is negative.

**Segment:** **CTT** Transaction Totals  
**Position:** 070  
**Loop:**  
**Level:** Summary  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To transmit a hash total for a specific element in the transaction set  
**Syntax Notes:** 1 If either CTT03 or CTT04 is present, then the other is required.  
 2 If either CTT05 or CTT06 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.  
**Notes:** Required  
 CTT~1

**Data Element Summary**

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use		354	Number of Line Items	M N0 1/6
			Total number of line items in the transaction set	
			The number of IT1 segments.	

**Segment:** **SE** Transaction Set Trailer  
**Position:** 080  
**Loop:**  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Syntax Notes:**

**Semantic Notes:**

**Comments:** 1 SE is the last segment of each transaction set.

**Notes:** Required  
SE~25~000000001

**Data Element Summary**

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
Must Use	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

## Example

ST\*810\*0001  
BIG\*20080411\*045604200520080411\*\*\*867-00001.20080411\*\*ME\*00  
REF\*11\*0456042005  
REF\*12\*21803308016592\*GROUPX  
REF\*LU\*00983019  
REF\*BLT\*LDC  
REF\*PC\*LDC  
REF\*9V\*Y  
N1\*8S\*UTILITY\*1\*006912345  
N1\*SJ\*SUPPLIER\*9\*007909111IL00  
N1\*8R\*CUSTOMER NAME  
ITD\*\*\*\*\*20080501  
PID\*F\*\*EU\*\*Thank you for your business!\*R1\*1  
PID\*F\*\*EU\*\*Choosing clean electricity is one of the easiest things you can do to make a dif\*R2\*1  
PID\*F\*\*EU\*\*ference for the environment.\*R2\*2  
IT1\*1\*\*\*\*\*SV\*ELECTRIC\*C3\*RATE  
REF\*RB\*ABC123  
REF\*PG\*\*GREEN PRODUCT  
DTM\*150\*20080310  
DTM\*151\*20080409  
SLN\*1\*\*A  
SAC\*C\*\*EU\*ADJ001\*-1000\*\*\*-10\*EA\*1\*\*\*\*\*ADJUSTMENT FIRST MONTH CREDIT  
SLN\*2\*\*A  
SAC\*C\*\*EU\*BAS001\*595\*\*\*5.95\*EA\*1\*\*\*\*\*BASIC CUSTOMER CHARGE  
SLN\*3\*\*A  
SAC\*C\*\*EU\*DMD001\*556\*\*\*.0555\*K1\*100.1\*\*\*\*\*DEMAND CHARGE  
SLN\*4\*\*A  
SAC\*C\*\*EU\*ENC001\*49320\*\*\*.0685\*KH\*7200\*\*\*\*\*ENERGY CHARGE  
TDS\*49471  
CTT\*1  
SE\*31\*0001