

June 16, 2005

Stu Cravens
Kelron Environmental
1213 Dorchester
Champaign, IL 61821
TEL: (217) 390-1503
FAX: (217) 355-1385



RE: CHMGP/162363

OrderNo. 05060318

Dear Stu Cravens:

TEKLAB, INC received 10 samples on 6/10/2005 7:40:00 AM for the analysis presented in the following report. A list of report contents can be found on the following page.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest that have been tested. IL ELAP and NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted in the Case Narrative. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read 'MLA', is positioned above the typed name.

Michael L. Austin
Director of Operations

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 05060318
Report Date: June 16, 2005

REPORT CONTENTS

This reporting package includes the following:

Analysis Results (this document)	13	pages
Chain of Custody	1	pages
Associated Information	1	pages
Sample Summary	1	pages
Dates Report	1	pages
QC Report	6	pages
Sub Contracted Lab Report	NA	pages

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 05060318
Report Date: June 16, 2005

CASE NARRATIVE

Qualifiers

DF - Dilution Factor	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
RL - Reporting Limit	J - Analyte detected below reporting limits	H - Holding time exceeded
ND - Not Detected at the Reporting Limit	R - RPD outside accepted recovery limits	D - Diluted out of sample
Surr - Surrogate Standard added by lab	S - Spike Recovery outside accepted recovery limits	MI - Matrix interference
TNTC - Too numerous to count	* - Value exceeds Maximum Contaminant Level	DNI - Did Not Ignite
IDPH - Illinois Department of Public Health	NELAP - IL ELAP and NELAP Accredited Field of Testing	

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-001
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 112052
Collection Date: 6/9/2005 7:48:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	6/12/2005 7:13:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/12/2005 7:13:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 7:13:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 7:13:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 7:13:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		99.4	%REC	1	6/12/2005 7:13:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		99.4	%REC	1	6/12/2005 7:13:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		98.0	%REC	1	6/12/2005 7:13:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		97.2	%REC	1	6/12/2005 7:13:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-002
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 102052
Collection Date: 6/9/2005 8:21:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	6/12/2005 7:48:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/12/2005 7:48:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 7:48:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 7:48:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 7:48:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		96.6	%REC	1	6/12/2005 7:48:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		99.4	%REC	1	6/12/2005 7:48:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		98.4	%REC	1	6/12/2005 7:48:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		97.0	%REC	1	6/12/2005 7:48:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-003
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 111052
Collection Date: 6/9/2005 9:02:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	6/12/2005 8:23:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/12/2005 8:23:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 8:23:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 8:23:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 8:23:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		93.8	%REC	1	6/12/2005 8:23:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		97.2	%REC	1	6/12/2005 8:23:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		98.0	%REC	1	6/12/2005 8:23:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		95.0	%REC	1	6/12/2005 8:23:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-004
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 108052
Collection Date: 6/9/2005 9:42:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	6/12/2005 8:58:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/12/2005 8:58:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 8:58:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 8:58:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 8:58:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		94.8	%REC	1	6/12/2005 8:58:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		96.6	%REC	1	6/12/2005 8:58:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		98.2	%REC	1	6/12/2005 8:58:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		95.2	%REC	1	6/12/2005 8:58:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-005
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 116052
Collection Date: 6/9/2005 10:10:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	6/12/2005 9:34:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/12/2005 9:34:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 9:34:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 9:34:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 9:34:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		95.4	%REC	1	6/12/2005 9:34:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		96.0	%REC	1	6/12/2005 9:34:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		99.6	%REC	1	6/12/2005 9:34:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		94.6	%REC	1	6/12/2005 9:34:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-006
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 107052
Collection Date: 6/9/2005 10:34:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC								
Acenaphthene	NELAP	0.00300		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Acenaphthylene	NELAP	0.00750		0.0445	mg/L	5	6/14/2005 3:01:19 PM	HE
Anthracene	NELAP	0.00030		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Chrysene	NELAP	0.00045		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Fluoranthene	NELAP	0.00090		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Fluorene	NELAP	0.00030		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Indeno(1,2,3-cd)pyrene	NELAP	0.00150		ND	mg/L	5	6/14/2005 3:01:19 PM	HE
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Naphthalene	NELAP	0.0150		0.0594	mg/L	5	6/14/2005 3:01:19 PM	HE
Phenanthrene	NELAP	0.00060		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Pyrene	NELAP	0.00030		ND	mg/L	1	6/14/2005 12:47:30 PM	HE
Surr: Terphenyl-d14		53.1-120		87.2	%REC	1	6/14/2005 12:47:30 PM	HE
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	10		549	µg/L	5	6/12/2005 11:19:00 PM	GEK
Toluene	NELAP	25.0		ND	µg/L	5	6/12/2005 11:19:00 PM	GEK
Ethylbenzene	NELAP	25.0		27.8	µg/L	5	6/12/2005 11:19:00 PM	GEK
Xylenes, Total	NELAP	25.0		49.2	µg/L	5	6/12/2005 11:19:00 PM	GEK
Naphthalene	NELAP	50.0		99.4	µg/L	5	6/12/2005 11:19:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		96.8	%REC	5	6/12/2005 11:19:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		97.2	%REC	5	6/12/2005 11:19:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		100	%REC	5	6/12/2005 11:19:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		96.8	%REC	5	6/12/2005 11:19:00 PM	GEK

Sample Narrative

SW-846 5030, 8260B, Volatile Organic Compounds by GC/MS

SAMP Elevated reporting limit due to high levels of target and/or non-target analytes.

MSD RPD was outside of QC limit.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-007
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 114052
Collection Date: 6/9/2005 11:20:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</u>								
Acenaphthene	NELAP	0.0150		0.222	mg/L	5	6/14/2005 3:53:34 PM	HE
Acenaphthylene	NELAP	0.00750		ND	mg/L	5	6/14/2005 3:53:34 PM	HE
Anthracene	NELAP	0.00030		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Chrysene	NELAP	0.00045		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Fluoranthene	NELAP	0.00090		0.00107	mg/L	1	6/14/2005 1:39:45 PM	HE
Fluorene	NELAP	0.00150		0.0641	mg/L	5	6/14/2005 3:53:34 PM	HE
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	6/14/2005 1:39:45 PM	HE
Naphthalene	NELAP	0.600		5.12	mg/L	200	6/16/2005 10:09:19 AM	HE
Phenanthrene	NELAP	0.00060		0.0102	mg/L	1	6/14/2005 1:39:45 PM	HE
Pyrene	NELAP	0.00030		0.00065	mg/L	1	6/14/2005 1:39:45 PM	HE
Surr: Terphenyl-d14		53.1-120		82.6	%REC	1	6/14/2005 1:39:45 PM	HE
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	100		867	µg/L	50	6/13/2005 1:04:00 AM	GEK
Toluene	NELAP	100		152	µg/L	50	6/13/2005 1:04:00 AM	GEK
Ethylbenzene	NELAP	250		1260	µg/L	50	6/13/2005 1:04:00 AM	GEK
Xylenes, Total	NELAP	250		932	µg/L	50	6/13/2005 1:04:00 AM	GEK
Naphthalene	NELAP	500		5920	µg/L	50	6/13/2005 1:04:00 AM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		94.8	%REC	50	6/13/2005 1:04:00 AM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		98.0	%REC	50	6/13/2005 1:04:00 AM	GEK
Surr: Dibromofluoromethane		88.9-121.2		100	%REC	50	6/13/2005 1:04:00 AM	GEK
Surr: Toluene-d8		84.1-114.5		96.4	%REC	50	6/13/2005 1:04:00 AM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-008
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 115052
Collection Date: 6/9/2005 12:01:00 PM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		8.3	µg/L	1	6/12/2005 10:08:00 PM	GEK
Toluene	NELAP	5.0	J	1.1	µg/L	1	6/12/2005 10:08:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 10:08:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 10:08:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 10:08:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		97.6	%REC	1	6/12/2005 10:08:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		99.0	%REC	1	6/12/2005 10:08:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		99.8	%REC	1	6/12/2005 10:08:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		97.2	%REC	1	6/12/2005 10:08:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-009
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID 115952
Collection Date: 6/9/2005 12:02:00 PM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		8.7	µg/L	1	6/12/2005 10:44:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/12/2005 10:44:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 10:44:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 10:44:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 10:44:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		94.6	%REC	1	6/12/2005 10:44:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		97.0	%REC	1	6/12/2005 10:44:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		101	%REC	1	6/12/2005 10:44:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		96.4	%REC	1	6/12/2005 10:44:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05060318
Lab ID: 05060318-010
Report Date: 16-Jun-05

Client Project: CHMGP/162363
Client Sample ID Trip Blank
Collection Date: 6/3/2005 9:05:00 AM
Matrix: TRIP BLANK

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	6/12/2005 5:28:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/12/2005 5:28:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/12/2005 5:28:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/12/2005 5:28:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/12/2005 5:28:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		96.6	%REC	1	6/12/2005 5:28:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		99.8	%REC	1	6/12/2005 5:28:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		98.0	%REC	1	6/12/2005 5:28:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		96.6	%REC	1	6/12/2005 5:28:00 PM	GEK

Sample Narrative