

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental**Project:** CHMGP/162363**Lab Order:** 05060318**Date Received:** 6/10/2005 7:40:00 AM

DATES REPORT

Date: 16-Jun-05

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
05060318-001A	112052	6/9/2005	Groundwater	BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-002A	102052			BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-003A	111052			BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-004A	108052			BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-005A	116052			BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-006A	107052			PNAs, Aqueous, by HPLC		6/14/2005	6/14/2005
				PNAs, Aqueous, by HPLC		6/14/2005	6/14/2005
				PNAs, Aqueous, by HPLC		6/14/2005	6/14/2005
05060318-006B				BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-007A	114052			PNAs, Aqueous, by HPLC		6/14/2005	6/14/2005
				PNAs, Aqueous, by HPLC		6/14/2005	6/14/2005
				PNAs, Aqueous, by HPLC		6/14/2005	6/16/2005
				PNAs, Aqueous, by HPLC		6/14/2005	6/14/2005
05060318-007B				BTEX, Aqueous, by GC/MS		6/12/2005	6/13/2005
05060318-008A	115052			BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-009A	115952			BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005
05060318-010A	Trip Blank	6/3/2005	Trip Blank	BTEX, Aqueous, by GC/MS		6/12/2005	6/12/2005