

October 07, 2005

Stu Cravens
Kelron Environmental
1213 Dorchester
Champaign, IL 61821
TEL: (217) 390-1503
FAX: (217) 355-1385



RE: CHMGP/162363

OrderNo. 05090845

Dear Stu Cravens:

TEKLAB, INC received 10 samples on 9/29/2005 8:10:00 AM for the analysis presented in the following report. A list of report contents can be found on the following page.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest that have been tested. IL ELAP and NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted in the Case Narrative. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read 'ML Austin'.

Michael L. Austin
Director of Operations

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 05090845
Report Date: October 07, 2005

REPORT CONTENTS

This reporting package includes the following:

Analysis Results (this document)	13	pages
Chain of Custody	1	pages
Associated Information	1	pages
Sample Summary	NA	pages
Dates Report	NA	pages
QC Report	NA	pages
Sub Contracted Lab Report	NA	pages
MDL Report	NA	pages

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 05090845
Report Date: October 07, 2005

CASE NARRATIVE

Cooler Receipt Tem 2.2 °C

A significant amount of headspace was present in one of the TB volatile vials.

Qualifiers

DF - Dilution Factor	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
RL - Reporting Limit	J - Analyte detected below reporting limits	H - Holding time exceeded
ND - Not Detected at the Reporting Limit	R - RPD outside accepted recovery limits	D - Diluted out of sample
Surr - Surrogate Standard added by lab	S - Spike Recovery outside accepted recovery limits	MI - Matrix interference
TNTC - Too numerous to count	* - Value exceeds Maximum Contaminant Level	DNI Did Not Ignite
IDPH - Illinois Department of Public Health	NELAP - IL ELAP and NELAP Accredited Field of Testing	

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-001
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 112053
Collection Date: 9/27/2005 8:14:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	9/30/2005 4:32:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	9/30/2005 4:32:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/30/2005 4:32:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 4:32:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 4:32:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		87.8	%REC	1	9/30/2005 4:32:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		103	%REC	1	9/30/2005 4:32:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		94.6	%REC	1	9/30/2005 4:32:00 PM	GEK
Surr: Toluene-d8		85.5-115		102	%REC	1	9/30/2005 4:32:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-002
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 102053
Collection Date: 9/27/2005 9:01:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	9/30/2005 5:03:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	9/30/2005 5:03:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/30/2005 5:03:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 5:03:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 5:03:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		90.0	%REC	1	9/30/2005 5:03:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		104	%REC	1	9/30/2005 5:03:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		95.2	%REC	1	9/30/2005 5:03:00 PM	GEK
Surr: Toluene-d8		85.5-115		101	%REC	1	9/30/2005 5:03:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-003
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 111053
Collection Date: 9/27/2005 9:39:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	9/30/2005 5:33:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	9/30/2005 5:33:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/30/2005 5:33:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 5:33:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 5:33:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		90.4	%REC	1	9/30/2005 5:33:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		102	%REC	1	9/30/2005 5:33:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		94.2	%REC	1	9/30/2005 5:33:00 PM	GEK
Surr: Toluene-d8		85.5-115		102	%REC	1	9/30/2005 5:33:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-004
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 108053
Collection Date: 9/27/2005 10:13:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	9/30/2005 6:04:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	9/30/2005 6:04:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/30/2005 6:04:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 6:04:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 6:04:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		90.2	%REC	1	9/30/2005 6:04:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		103	%REC	1	9/30/2005 6:04:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		94.0	%REC	1	9/30/2005 6:04:00 PM	GEK
Surr: Toluene-d8		85.5-115		101	%REC	1	9/30/2005 6:04:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-005
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 116053
Collection Date: 9/27/2005 10:50:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	9/30/2005 6:35:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	9/30/2005 6:35:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/30/2005 6:35:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 6:35:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 6:35:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		88.6	%REC	1	9/30/2005 6:35:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		104	%REC	1	9/30/2005 6:35:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		96.0	%REC	1	9/30/2005 6:35:00 PM	GEK
Surr: Toluene-d8		85.5-115		102	%REC	1	9/30/2005 6:35:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-006
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 116953
Collection Date: 9/27/2005 10:51:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	9/30/2005 7:06:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	9/30/2005 7:06:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/30/2005 7:06:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 7:06:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 7:06:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		94.4	%REC	1	9/30/2005 7:06:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		102	%REC	1	9/30/2005 7:06:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		95.0	%REC	1	9/30/2005 7:06:00 PM	GEK
Surr: Toluene-d8		85.5-115		104	%REC	1	9/30/2005 7:06:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-007
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 107053
Collection Date: 9/27/2005 11:25:00 AM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC								
Acenaphthene	NELAP	0.00300		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Acenaphthylene	NELAP	0.00150		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Anthracene	NELAP	0.00030		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Chrysene	NELAP	0.00045		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Fluoranthene	NELAP	0.00090		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Fluorene	NELAP	0.00030		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Naphthalene	NELAP	0.0150		0.0580	mg/L	5	10/4/2005 12:11:46 PM	MAM
Phenanthrene	NELAP	0.00060		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Pyrene	NELAP	0.00030		ND	mg/L	1	10/3/2005 4:00:39 PM	MAM
Surr: Terphenyl-d14		53.1-120		95.6	%REC	1	10/3/2005 4:00:39 PM	MAM
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	10		344	µg/L	5	9/30/2005 12:15:00 PM	GEK
Toluene	NELAP	5.0	J	2.6	µg/L	1	9/30/2005 1:47:00 PM	GEK
Ethylbenzene	NELAP	5.0		17.1	µg/L	1	9/30/2005 1:47:00 PM	GEK
Xylenes, Total	NELAP	5.0		32.1	µg/L	1	9/30/2005 1:47:00 PM	GEK
Naphthalene	NELAP	10		82.6	µg/L	1	9/30/2005 1:47:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		86.0	%REC	1	9/30/2005 1:47:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		103	%REC	1	9/30/2005 1:47:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		94.8	%REC	1	9/30/2005 1:47:00 PM	GEK
Surr: Toluene-d8		85.5-115		102	%REC	1	9/30/2005 1:47:00 PM	GEK

Sample Narrative

SW-846 3510C, 8310, PolyNuclear Aromatic Hydrocarbons by HPLC

MSD Acenaphthylene was outside of QC limits due to matrix interference confirmed on mass spec.

MS Acenaphthylene was outside of QC limits due to matrix interference confirmed on mass spec.

SW-846 5030, 8260B, Volatile Organic Compounds by GC/MS

MSD RPD was outside of QC limit due to sample composition.

MS Matrix spike recoveries were lower than the QC limits because of sample composition. Sample concentration of benzene was greater than 5 times the spike concentration.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-008
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 114053
Collection Date: 9/27/2005 12:55:00 PM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</u>								
Acenaphthene	NELAP	0.150		0.208	mg/L	50	10/4/2005 11:54:18 AM	MAM
Acenaphthylene	NELAP	0.00150		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Anthracene	NELAP	0.00030		0.00082	mg/L	1	10/3/2005 4:53:01 PM	MAM
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Chrysene	NELAP	0.00045		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Fluoranthene	NELAP	0.00090		0.00109	mg/L	1	10/3/2005 4:53:01 PM	MAM
Fluorene	NELAP	0.00030		0.0444	mg/L	1	10/3/2005 4:53:01 PM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	10/3/2005 4:53:01 PM	MAM
Naphthalene	NELAP	1.50		11.5	mg/L	500	10/4/2005 3:50:30 PM	MAM
Phenanthrene	NELAP	0.00060		0.00987	mg/L	1	10/3/2005 4:53:01 PM	MAM
Pyrene	NELAP	0.00030		0.00040	mg/L	1	10/3/2005 4:53:01 PM	MAM
Surr: Terphenyl-d14		53.1-120		73.3	%REC	1	10/3/2005 4:53:01 PM	MAM
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	50.0		1130	µg/L	25	9/30/2005 1:17:00 PM	GEK
Toluene	NELAP	125		190	µg/L	25	9/30/2005 1:17:00 PM	GEK
Ethylbenzene	NELAP	125		1370	µg/L	25	9/30/2005 1:17:00 PM	GEK
Xylenes, Total	NELAP	125		1010	µg/L	25	9/30/2005 1:17:00 PM	GEK
Naphthalene	NELAP	2000		6420	µg/L	200	9/30/2005 4:01:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		90.4	%REC	25	9/30/2005 1:17:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		104	%REC	25	9/30/2005 1:17:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		96.0	%REC	25	9/30/2005 1:17:00 PM	GEK
Surr: Toluene-d8		85.5-115		103	%REC	25	9/30/2005 1:17:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-009
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID 115053
Collection Date: 9/27/2005 1:27:00 PM
Matrix: GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		12.5	µg/L	1	9/30/2005 7:37:00 PM	GEK
Toluene	NELAP	5.0	J	1.1	µg/L	1	9/30/2005 7:37:00 PM	GEK
Ethylbenzene	NELAP	5.0	J	1.9	µg/L	1	9/30/2005 7:37:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 7:37:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 7:37:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		95.6	%REC	1	9/30/2005 7:37:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		104	%REC	1	9/30/2005 7:37:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		96.8	%REC	1	9/30/2005 7:37:00 PM	GEK
Surr: Toluene-d8		85.5-115		104	%REC	1	9/30/2005 7:37:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 05090845
Lab ID: 05090845-010
Report Date: 07-Oct-05

Client Project: CHMGP/162363
Client Sample ID TB
Collection Date: 9/16/2005 11:10:00 AM
Matrix: TRIP BLANK

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u>								
Benzene	NELAP	2.0		ND	µg/L	1	9/30/2005 9:39:00 AM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	9/30/2005 9:39:00 AM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/30/2005 9:39:00 AM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/30/2005 9:39:00 AM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	9/30/2005 9:39:00 AM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		90.0	%REC	1	9/30/2005 9:39:00 AM	GEK
Surr: 4-Bromofluorobenzene		83-113		103	%REC	1	9/30/2005 9:39:00 AM	GEK
Surr: Dibromofluoromethane		83.8-118		95.6	%REC	1	9/30/2005 9:39:00 AM	GEK
Surr: Toluene-d8		85.5-115		105	%REC	1	9/30/2005 9:39:00 AM	GEK

Sample Narrative