

April 06, 2006

Stu Cravens  
Kelron Environmental  
1213 Dorchester  
Champaign, IL 61821  
TEL: (217) 390-1503  
FAX: (217) 355-1385



RE: CHMGP/162363

OrderNo. 06030912

Dear Stu Cravens:

TEKLAB, INC received 10 samples on 3/31/2006 7:45:00 AM for the analysis presented in the following report. A list of report contents can be found on the following page.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest that have been tested. IL ELAP and NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted in the Case Narrative. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael L. Austin".

Michael L. Austin  
Director of Operations  
618-344-1004 ex.16

---

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental  
Project: CHMGP/162363  
LabOrder: 06030912  
Report Date: April 06, 2006

## REPORT CONTENTS

---

**This reporting package includes the following:**

Analysis Results ( this document ) . . . . .	13	pages
Chain of Custody . . . . .	1	pages
Associated Information . . . . .	1	pages
Sample Summary . . . . .	NA	pages
Dates Report . . . . .	NA	pages
QC Report . . . . .	NA	pages
Sub Contracted Lab Report . . . . .	NA	pages
MDL Report . . . . .	NA	pages

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental  
Project: CHMGP/162363  
LabOrder: 06030912  
Report Date: April 06, 2006

## CASE NARRATIVE

Cooler Receipt Temp 0.8 °C

### Qualifiers

<b>DF</b> - Dilution Factor	<b>B</b> - Analyte detected in the associated Method Blank	<b>E</b> - Value above quantitation range
<b>RL</b> - Reporting Limit	<b>J</b> - Analyte detected below reporting limits	<b>H</b> - Holding time exceeded
<b>ND</b> - Not Detected at the Reporting Limit	<b>R</b> - RPD outside accepted recovery limits	<b>D</b> - Diluted out of sample
<b>Surr</b> - Surrogate Standard added by lab	<b>S</b> - Spike Recovery outside accepted recovery limits	<b>MI</b> - Matrix interference
<b>TNTC</b> - Too numerous to count	<b>X</b> - Value exceeds Maximum Contaminant Level	<b>DNI</b> - Did Not Ignite
<b>IDPH</b> - Illinois Department of Public Health	<b>NELAP</b> - IL ELAP and NELAP Accredited Field of Testing	

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-001  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 112061  
**Collection Date:** 3/30/2006 7:20:00 AM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/31/2006 4:54:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/31/2006 4:54:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/31/2006 4:54:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/31/2006 4:54:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/31/2006 4:54:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		102	%REC	1	3/31/2006 4:54:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		106	%REC	1	3/31/2006 4:54:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		104	%REC	1	3/31/2006 4:54:00 PM	GEK
Surr: Toluene-d8		85.5-115		99.4	%REC	1	3/31/2006 4:54:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-002  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 102061  
**Collection Date:** 3/30/2006 7:47:00 AM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/31/2006 5:24:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/31/2006 5:24:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/31/2006 5:24:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/31/2006 5:24:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/31/2006 5:24:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		108	%REC	1	3/31/2006 5:24:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		106	%REC	1	3/31/2006 5:24:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		106	%REC	1	3/31/2006 5:24:00 PM	GEK
Surr: Toluene-d8		85.5-115		97.7	%REC	1	3/31/2006 5:24:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-003  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 111061  
**Collection Date:** 3/30/2006 8:22:00 AM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/31/2006 5:54:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/31/2006 5:54:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/31/2006 5:54:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/31/2006 5:54:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/31/2006 5:54:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		108	%REC	1	3/31/2006 5:54:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		106	%REC	1	3/31/2006 5:54:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		105	%REC	1	3/31/2006 5:54:00 PM	GEK
Surr: Toluene-d8		85.5-115		99.1	%REC	1	3/31/2006 5:54:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-004  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 108061  
**Collection Date:** 3/30/2006 8:55:00 AM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/31/2006 6:25:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/31/2006 6:25:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/31/2006 6:25:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/31/2006 6:25:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/31/2006 6:25:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		109	%REC	1	3/31/2006 6:25:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		106	%REC	1	3/31/2006 6:25:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		105	%REC	1	3/31/2006 6:25:00 PM	GEK
Surr: Toluene-d8		85.5-115		99.0	%REC	1	3/31/2006 6:25:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-005  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 108961  
**Collection Date:** 3/30/2006 8:57:00 AM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/31/2006 6:55:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/31/2006 6:55:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/31/2006 6:55:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/31/2006 6:55:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/31/2006 6:55:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		105	%REC	1	3/31/2006 6:55:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		107	%REC	1	3/31/2006 6:55:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		104	%REC	1	3/31/2006 6:55:00 PM	GEK
Surr: Toluene-d8		85.5-115		99.3	%REC	1	3/31/2006 6:55:00 PM	GEK

### Sample Narrative



ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-006  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 116061  
**Collection Date:** 3/30/2006 9:40:00 AM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/31/2006 7:26:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/31/2006 7:26:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/31/2006 7:26:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/31/2006 7:26:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/31/2006 7:26:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		109	%REC	1	3/31/2006 7:26:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		103	%REC	1	3/31/2006 7:26:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		102	%REC	1	3/31/2006 7:26:00 PM	GEK
Surr: Toluene-d8		85.5-115		99.0	%REC	1	3/31/2006 7:26:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-007  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 107061  
**Collection Date:** 3/30/2006 10:07:00 AM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</u></b>								
Acenaphthene	NELAP	0.00300		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Acenaphthylene	NELAP	0.00150		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Anthracene	NELAP	0.00030		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Chrysene	NELAP	0.00045		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Fluoranthene	NELAP	0.00090		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Fluorene	NELAP	0.00030		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Naphthalene	NELAP	0.0300		0.0578	mg/L	10	4/6/2006 9:41:21 AM	MAM
Phenanthrene	NELAP	0.00060		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Pyrene	NELAP	0.00030		ND	mg/L	1	4/4/2006 4:48:56 PM	MAM
Surr: Terphenyl-d14		53.1-120		88.0	%REC	1	4/4/2006 4:48:56 PM	MAM
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	40.0		231	µg/L	20	3/31/2006 8:57:00 PM	GEK
Ethylbenzene	NELAP	5.0		18.6	µg/L	1	4/1/2006 2:11:00 AM	GEK
Naphthalene	NELAP	10		100	µg/L	1	4/1/2006 2:11:00 AM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	4/1/2006 2:11:00 AM	GEK
Xylenes, Total	NELAP	5.0		28.6	µg/L	1	4/1/2006 2:11:00 AM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		110	%REC	1	4/1/2006 2:11:00 AM	GEK
Surr: 4-Bromofluorobenzene		83-113		101	%REC	1	4/1/2006 2:11:00 AM	GEK
Surr: Dibromofluoromethane		83.8-118		98.6	%REC	1	4/1/2006 2:11:00 AM	GEK
Surr: Toluene-d8		85.5-115		99.1	%REC	1	4/1/2006 2:11:00 AM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-008  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 114061  
**Collection Date:** 3/30/2006 12:18:00 PM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</b>								
Acenaphthene	NELAP	0.0300		<b>0.0991</b>	mg/L	10	4/6/2006 10:51:12 AM	MAM
Acenaphthylene	NELAP	0.00150		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Anthracene	NELAP	0.00030		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Benzo(a)anthracene	NELAP	0.00009		<b>0.00041</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Benzo(a)pyrene	NELAP	0.00012		<b>0.00027</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Chrysene	NELAP	0.00045		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Fluoranthene	NELAP	0.00090		<b>0.00181</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Fluorene	NELAP	0.00300		<b>0.0494</b>	mg/L	10	4/6/2006 10:51:12 AM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		<b>ND</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Naphthalene	NELAP	3.00		<b>6.00</b>	mg/L	1000	4/6/2006 11:26:08 AM	MAM
Phenanthrene	NELAP	0.00060		<b>0.0113</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Pyrene	NELAP	0.00030		<b>0.00136</b>	mg/L	1	4/4/2006 5:41:20 PM	MAM
Surr: Terphenyl-d14		53.1-120		<b>104</b>	%REC	1	4/4/2006 5:41:20 PM	MAM
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	20.0		<b>875</b>	µg/L	10	4/1/2006 3:43:00 AM	GEK
Ethylbenzene	NELAP	50.0		<b>1220</b>	µg/L	10	4/1/2006 3:43:00 AM	GEK
Naphthalene	NELAP	2000		<b>5160</b>	µg/L	200	3/31/2006 8:27:00 PM	GEK
Toluene	NELAP	50.0		<b>123</b>	µg/L	10	4/1/2006 3:43:00 AM	GEK
Xylenes, Total	NELAP	50.0		<b>958</b>	µg/L	10	4/1/2006 3:43:00 AM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		<b>109</b>	%REC	10	4/1/2006 3:43:00 AM	GEK
Surr: 4-Bromofluorobenzene		83-113		<b>96.6</b>	%REC	10	4/1/2006 3:43:00 AM	GEK
Surr: Dibromofluoromethane		83.8-118		<b>101</b>	%REC	10	4/1/2006 3:43:00 AM	GEK
Surr: Toluene-d8		85.5-115		<b>99.4</b>	%REC	10	4/1/2006 3:43:00 AM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-009  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** 115061  
**Collection Date:** 3/30/2006 1:30:00 PM  
**Matrix:** AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		2.7	µg/L	1	3/31/2006 7:56:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/31/2006 7:56:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/31/2006 7:56:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/31/2006 7:56:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/31/2006 7:56:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		110	%REC	1	3/31/2006 7:56:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		98.9	%REC	1	3/31/2006 7:56:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		105	%REC	1	3/31/2006 7:56:00 PM	GEK
Surr: Toluene-d8		85.5-115		98.1	%REC	1	3/31/2006 7:56:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06030912  
**Lab ID:** 06030912-010  
**Report Date:** 06-Apr-06

**Client Project:** CHMGP/162363  
**Client Sample ID:** Trip Blank  
**Collection Date:** 2/20/2006 12:10:00 PM  
**Matrix:** TRIP BLANK

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0	H	ND	µg/L	1	3/31/2006 11:49:00 AM	GEK
Ethylbenzene	NELAP	5.0	H	ND	µg/L	1	3/31/2006 11:49:00 AM	GEK
Naphthalene	NELAP	10	H	ND	µg/L	1	3/31/2006 11:49:00 AM	GEK
Toluene	NELAP	5.0	H	ND	µg/L	1	3/31/2006 11:49:00 AM	GEK
Xylenes, Total	NELAP	5.0	H	ND	µg/L	1	3/31/2006 11:49:00 AM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129	H	99.4	%REC	1	3/31/2006 11:49:00 AM	GEK
Surr: 4-Bromofluorobenzene		83-113	H	106	%REC	1	3/31/2006 11:49:00 AM	GEK
Surr: Dibromofluoromethane		83.8-118	H	101	%REC	1	3/31/2006 11:49:00 AM	GEK
Surr: Toluene-d8		85.5-115	H	96.7	%REC	1	3/31/2006 11:49:00 AM	GEK

### Sample Narrative