

June 29, 2006

Stu Cravens
Kelron Environmental
1213 Dorchester
Champaign, IL 61821
TEL: (217) 390-1503
FAX: (217) 355-1385



RE: CHMGP/162363

OrderNo. 06060698

Dear Stu Cravens:

TEKLAB, INC received 10 samples on 6/23/2006 8:00:00 AM for the analysis presented in the following report. A list of report contents can be found on the following page.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest that have been tested. IL ELAP and NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted in the Case Narrative. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read 'Michael L. Austin', is written over a white background.

Michael L. Austin
Director of Operations
618-344-1004 ex.16

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 06060698
Report Date: June 29, 2006

REPORT CONTENTS

This reporting package includes the following:

Analysis Results (this document)	13	pages
Chain of Custody	1	pages
Associated Information	1	pages
Sample Summary	1	pages
Dates Report	1	pages
QC Report	6	pages
Sub Contracted Lab Report	NA	pages
MDL Report	NA	pages

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 06060698
Report Date: June 29, 2006

CASE NARRATIVE

Cooler Receipt Temp 4.2 °C

Qualifiers

DF - Dilution Factor	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
RL - Reporting Limit	J - Analyte detected below reporting limits	H - Holding time exceeded
ND - Not Detected at the Reporting Limit	R - RPD outside accepted recovery limits	D - Diluted out of sample
Surr - Surrogate Standard added by lab	S - Spike Recovery outside accepted recovery limits	MI - Matrix interference
TNTC - Too numerous to count	X - Value exceeds Maximum Contaminant Level	DNI - Did Not Ignite
IDPH - Illinois Department of Public Health	NELAP - IL ELAP and NELAP Accredited Field of Testing	

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-001
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 112062
Collection Date: 6/22/2006 7:50:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	6/25/2006 1:08:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/25/2006 1:08:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/25/2006 1:08:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/25/2006 1:08:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/25/2006 1:08:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		119	%REC	1	6/25/2006 1:08:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		102	%REC	1	6/25/2006 1:08:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		110	%REC	1	6/25/2006 1:08:00 PM	GEK
Surr: Toluene-d8		85.5-115		101	%REC	1	6/25/2006 1:08:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-002
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 102062
Collection Date: 6/22/2006 8:20:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	6/25/2006 2:09:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/25/2006 2:09:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/25/2006 2:09:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/25/2006 2:09:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/25/2006 2:09:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		116	%REC	1	6/25/2006 2:09:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		101	%REC	1	6/25/2006 2:09:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		106	%REC	1	6/25/2006 2:09:00 PM	GEK
Surr: Toluene-d8		85.5-115		96.7	%REC	1	6/25/2006 2:09:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-003
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 111062
Collection Date: 6/22/2006 8:55:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	6/25/2006 2:40:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/25/2006 2:40:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/25/2006 2:40:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/25/2006 2:40:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/25/2006 2:40:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		117	%REC	1	6/25/2006 2:40:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		101	%REC	1	6/25/2006 2:40:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		110	%REC	1	6/25/2006 2:40:00 PM	GEK
Surr: Toluene-d8		85.5-115		97.2	%REC	1	6/25/2006 2:40:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-004
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 111962
Collection Date: 6/22/2006 8:57:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	6/25/2006 3:10:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/25/2006 3:10:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/25/2006 3:10:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/25/2006 3:10:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/25/2006 3:10:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		121	%REC	1	6/25/2006 3:10:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		104	%REC	1	6/25/2006 3:10:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		109	%REC	1	6/25/2006 3:10:00 PM	GEK
Surr: Toluene-d8		85.5-115		99.8	%REC	1	6/25/2006 3:10:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-005
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 108062
Collection Date: 6/22/2006 9:19:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	6/25/2006 3:41:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/25/2006 3:41:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/25/2006 3:41:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/25/2006 3:41:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/25/2006 3:41:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		125	%REC	1	6/25/2006 3:41:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		105	%REC	1	6/25/2006 3:41:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		113	%REC	1	6/25/2006 3:41:00 PM	GEK
Surr: Toluene-d8		85.5-115		102	%REC	1	6/25/2006 3:41:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-006
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 116062
Collection Date: 6/22/2006 10:26:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	6/25/2006 4:11:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/25/2006 4:11:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/25/2006 4:11:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	6/25/2006 4:11:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	6/25/2006 4:11:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		127	%REC	1	6/25/2006 4:11:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		104	%REC	1	6/25/2006 4:11:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		114	%REC	1	6/25/2006 4:11:00 PM	GEK
Surr: Toluene-d8		85.5-115		102	%REC	1	6/25/2006 4:11:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT:	Kelron Environmental	Client Project:	CHMGP/162363
WorkOrder:	06060698	Client Sample ID	107062
Lab ID:	06060698-007	Collection Date:	6/22/2006 10:58:00 AM
Report Date:	29-Jun-06	Matrix:	AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC								
Acenaphthene	NELAP	0.00300		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Acenaphthylene	NELAP	0.00150		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Anthracene	NELAP	0.00030		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Chrysene	NELAP	0.00045		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Fluoranthene	NELAP	0.00090		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Fluorene	NELAP	0.00030		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Phenanthrene	NELAP	0.00060		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Pyrene	NELAP	0.00030		ND	mg/L	1	6/24/2006 6:18:24 AM	MAM
Surr: Terphenyl-d14		53.1-120		82.9	%REC	1	6/24/2006 6:18:24 AM	MAM
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	10		289	µg/L	5	6/25/2006 5:43:00 PM	GEK
Ethylbenzene	NELAP	5.0		18.2	µg/L	1	6/25/2006 7:45:00 PM	GEK
Naphthalene	NELAP	10		106	µg/L	1	6/25/2006 7:45:00 PM	GEK
Toluene	NELAP	5.0	J	2.4	µg/L	1	6/25/2006 7:45:00 PM	GEK
Xylenes, Total	NELAP	5.0		30.7	µg/L	1	6/25/2006 7:45:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		113	%REC	1	6/25/2006 7:45:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		101	%REC	1	6/25/2006 7:45:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		107	%REC	1	6/25/2006 7:45:00 PM	GEK
Surr: Toluene-d8		85.5-115		96.5	%REC	1	6/25/2006 7:45:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-008
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 114062
Collection Date: 6/22/2006 12:02:00 PM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC								
Acenaphthene	NELAP	0.0750		0.159	mg/L	25	6/27/2006 3:03:17 PM	MAM
Acenaphthylene	NELAP	0.375		0.868	mg/L	250	6/26/2006 4:36:48 PM	MAM
Anthracene	NELAP	0.00030		0.00180	mg/L	1	6/24/2006 7:10:52 AM	MAM
Benzo(a)anthracene	NELAP	0.00009		0.00091	mg/L	1	6/24/2006 7:10:52 AM	MAM
Benzo(a)pyrene	NELAP	0.00012		0.00097	mg/L	1	6/24/2006 7:10:52 AM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		0.00030	mg/L	1	6/24/2006 7:10:52 AM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		0.00068	mg/L	1	6/24/2006 7:10:52 AM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	6/24/2006 7:10:52 AM	MAM
Chrysene	NELAP	0.00045		0.00093	mg/L	1	6/24/2006 7:10:52 AM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	6/24/2006 7:10:52 AM	MAM
Fluoranthene	NELAP	0.00090		0.00338	mg/L	1	6/24/2006 7:10:52 AM	MAM
Fluorene	NELAP	0.00750		0.0428	mg/L	25	6/27/2006 3:03:17 PM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		0.00030	mg/L	1	6/24/2006 7:10:52 AM	MAM
Phenanthrene	NELAP	0.00060		0.0140	mg/L	1	6/24/2006 7:10:52 AM	MAM
Pyrene	NELAP	0.00030		0.00274	mg/L	1	6/24/2006 7:10:52 AM	MAM
Surr: Terphenyl-d14		53.1-120		99.6	%REC	1	6/24/2006 7:10:52 AM	MAM
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	20.0		936	µg/L	10	6/25/2006 9:47:00 PM	GEK
Ethylbenzene	NELAP	50.0		1140	µg/L	10	6/25/2006 9:47:00 PM	GEK
Naphthalene	NELAP	2000		7510	µg/L	200	6/25/2006 9:17:00 PM	GEK
Toluene	NELAP	50.0		131	µg/L	10	6/25/2006 9:47:00 PM	GEK
Xylenes, Total	NELAP	50.0		1020	µg/L	10	6/25/2006 9:47:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		118	%REC	10	6/25/2006 9:47:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		97.9	%REC	10	6/25/2006 9:47:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		108	%REC	10	6/25/2006 9:47:00 PM	GEK
Surr: Toluene-d8		85.5-115		99.0	%REC	10	6/25/2006 9:47:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-009
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID 115062
Collection Date: 6/22/2006 1:01:00 PM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		11.7	µg/L	1	6/25/2006 5:12:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	6/25/2006 5:12:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	6/25/2006 5:12:00 PM	GEK
Toluene	NELAP	5.0	J	1.4	µg/L	1	6/25/2006 5:12:00 PM	GEK
Xylenes, Total	NELAP	5.0	J	1.0	µg/L	1	6/25/2006 5:12:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129		119	%REC	1	6/25/2006 5:12:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113		99.0	%REC	1	6/25/2006 5:12:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118		108	%REC	1	6/25/2006 5:12:00 PM	GEK
Surr: Toluene-d8		85.5-115		100	%REC	1	6/25/2006 5:12:00 PM	GEK

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06060698
Lab ID: 06060698-010
Report Date: 29-Jun-06

Client Project: CHMGP/162363
Client Sample ID Trip Blank
Collection Date: 6/5/2006
Matrix: TRIP BLANK

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0	H	ND	µg/L	1	6/25/2006 12:38:00 PM	GEK
Ethylbenzene	NELAP	5.0	H	ND	µg/L	1	6/25/2006 12:38:00 PM	GEK
Naphthalene	NELAP	10	H	ND	µg/L	1	6/25/2006 12:38:00 PM	GEK
Toluene	NELAP	5.0	H	ND	µg/L	1	6/25/2006 12:38:00 PM	GEK
Xylenes, Total	NELAP	5.0	H	ND	µg/L	1	6/25/2006 12:38:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		73.9-129	H	118	%REC	1	6/25/2006 12:38:00 PM	GEK
Surr: 4-Bromofluorobenzene		83-113	H	103	%REC	1	6/25/2006 12:38:00 PM	GEK
Surr: Dibromofluoromethane		83.8-118	H	111	%REC	1	6/25/2006 12:38:00 PM	GEK
Surr: Toluene-d8		85.5-115	H	98.9	%REC	1	6/25/2006 12:38:00 PM	GEK

Sample Narrative