

December 27, 2006

Stu Cravens
Kelron Environmental
1213 Dorchester
Champaign, IL 61821
TEL: (217) 390-1503
FAX: (217) 355-1385



RE: CHMGP/162363

OrderNo. 06120390

Dear Stu Cravens:

TEKLAB, INC received 10 samples on 12/14/2006 8:30:00 AM for the analysis presented in the following report. A list of report contents can be found on the following page.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. IL ELAP and NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink that reads "Heather A. Barnes".

Heather A. Barnes
Project Manager
(618)344-1004 ex.20

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 06120390
Report Date: December 27, 2006

REPORT CONTENTS

This reporting package includes the following:

Analysis Results (this document)	13	pages
Chain of Custody	1	pages
Sample Receipt Checklist	1	pages
Associated Information	NA	pages
Sample Summary	1	pages
Dates Report	1	pages
QC Report	6	pages
Sub Contracted Lab Report	NA	pages
MDL Report	NA	pages

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental
Project: CHMGP/162363
LabOrder: 06120390
Report Date: December 27, 2006

CASE NARRATIVE

Cooler Receipt Temp 2.6 °C

Qualifiers

DF - Dilution Factor	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
RL - Reporting Limit	J - Analyte detected below reporting limits	H - Holding time exceeded
ND - Not Detected at the Reporting Limit	R - RPD outside accepted recovery limits	D - Diluted out of sample
Surr - Surrogate Standard added by lab	S - Spike Recovery outside accepted recovery limits	MI - Matrix interference
TNTC - Too numerous to count	X - Value exceeds Maximum Contaminant Level	DNI Did Not Ignite
IDPH - Illinois Department of Public Health	NELAP - IL ELAP and NELAP Accredited Field of Testing	

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-001
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 112064
Collection Date: 12/13/2006 7:45:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	12/16/2006 12:23:00 AM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	12/16/2006 12:23:00 AM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	12/16/2006 12:23:00 AM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	12/16/2006 12:23:00 AM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	12/16/2006 12:23:00 AM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		101.8	%REC	1	12/16/2006 12:23:00 AM	TAL
Surr: 4-Bromofluorobenzene		83-113		105.9	%REC	1	12/16/2006 12:23:00 AM	TAL
Surr: Dibromofluoromethane		83.8-118		103.3	%REC	1	12/16/2006 12:23:00 AM	TAL
Surr: Toluene-d8		85.5-115		96.3	%REC	1	12/16/2006 12:23:00 AM	TAL

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-002
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 102064
Collection Date: 12/13/2006 8:20:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	12/16/2006 1:25:00 AM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	12/16/2006 1:25:00 AM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	12/16/2006 1:25:00 AM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	12/16/2006 1:25:00 AM	TAL
Xylenes, Total	NELAP	5.0	J	1.4	µg/L	1	12/16/2006 1:25:00 AM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		102.5	%REC	1	12/16/2006 1:25:00 AM	TAL
Surr: 4-Bromofluorobenzene		83-113		105.0	%REC	1	12/16/2006 1:25:00 AM	TAL
Surr: Dibromofluoromethane		83.8-118		102.3	%REC	1	12/16/2006 1:25:00 AM	TAL
Surr: Toluene-d8		85.5-115		98.7	%REC	1	12/16/2006 1:25:00 AM	TAL

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-003
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 111064
Collection Date: 12/13/2006 8:50:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	12/16/2006 1:55:00 AM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	12/16/2006 1:55:00 AM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	12/16/2006 1:55:00 AM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	12/16/2006 1:55:00 AM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	12/16/2006 1:55:00 AM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		99.4	%REC	1	12/16/2006 1:55:00 AM	TAL
Surr: 4-Bromofluorobenzene		83-113		104.9	%REC	1	12/16/2006 1:55:00 AM	TAL
Surr: Dibromofluoromethane		83.8-118		101.7	%REC	1	12/16/2006 1:55:00 AM	TAL
Surr: Toluene-d8		85.5-115		97.5	%REC	1	12/16/2006 1:55:00 AM	TAL

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-004
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 108064
Collection Date: 12/13/2006 9:20:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	12/16/2006 2:26:00 AM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	12/16/2006 2:26:00 AM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	12/16/2006 2:26:00 AM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	12/16/2006 2:26:00 AM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	12/16/2006 2:26:00 AM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		101.3	%REC	1	12/16/2006 2:26:00 AM	TAL
Surr: 4-Bromofluorobenzene		83-113		106.6	%REC	1	12/16/2006 2:26:00 AM	TAL
Surr: Dibromofluoromethane		83.8-118		102.2	%REC	1	12/16/2006 2:26:00 AM	TAL
Surr: Toluene-d8		85.5-115		97.8	%REC	1	12/16/2006 2:26:00 AM	TAL

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-005
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 116064
Collection Date: 12/13/2006 9:55:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	12/16/2006 2:56:00 AM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	12/16/2006 2:56:00 AM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	12/16/2006 2:56:00 AM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	12/16/2006 2:56:00 AM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	12/16/2006 2:56:00 AM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		106.5	%REC	1	12/16/2006 2:56:00 AM	TAL
Surr: 4-Bromofluorobenzene		83-113		105.7	%REC	1	12/16/2006 2:56:00 AM	TAL
Surr: Dibromofluoromethane		83.8-118		104.2	%REC	1	12/16/2006 2:56:00 AM	TAL
Surr: Toluene-d8		85.5-115		98.9	%REC	1	12/16/2006 2:56:00 AM	TAL

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-006
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 107064
Collection Date: 12/13/2006 10:27:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 3510C, 8270C SIMS, SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Acenaphthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Acenaphthylene	NELAP	0.00010		0.00020	mg/L	1	12/18/2006 3:38:00 PM	TDN
Anthracene	NELAP	0.00010		0.00014	mg/L	1	12/18/2006 3:38:00 PM	TDN
Benzo(a)anthracene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Benzo(a)pyrene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Benzo(b)fluoranthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Benzo(g,h,i)perylene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Benzo(k)fluoranthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Chrysene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Dibenzo(a,h)anthracene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Fluoranthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Fluorene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Indeno(1,2,3-cd)pyrene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Naphthalene	NELAP	0.00010		0.0477	mg/L	1	12/18/2006 3:38:00 PM	TDN
Phenanthrene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Pyrene	NELAP	0.00010		ND	mg/L	1	12/18/2006 3:38:00 PM	TDN
Total PNAs except Naphthalene		0.00006		0.00034	mg/L	1	12/18/2006 3:38:00 PM	TDN
Surr: 2-Fluorobiphenyl		41.1-108		65.3	%REC	1	12/18/2006 3:38:00 PM	TDN
Surr: Nitrobenzene-d5		37.6-105		63.5	%REC	1	12/18/2006 3:38:00 PM	TDN
Surr: p-Terphenyl-d14		49-113		79.2	%REC	1	12/18/2006 3:38:00 PM	TDN
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	10		812	µg/L	5	12/16/2006 2:15:00 PM	TAL
Ethylbenzene	NELAP	25.0		44.1	µg/L	5	12/16/2006 2:15:00 PM	TAL
Naphthalene	NELAP	50.0		161	µg/L	5	12/16/2006 2:15:00 PM	TAL
Toluene	NELAP	25.0	J	7.1	µg/L	5	12/16/2006 2:15:00 PM	TAL
Xylenes, Total	NELAP	25.0		55.2	µg/L	5	12/16/2006 2:15:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		100.1	%REC	5	12/16/2006 2:15:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		102.5	%REC	5	12/16/2006 2:15:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		102.5	%REC	5	12/16/2006 2:15:00 PM	TAL
Surr: Toluene-d8		85.5-115		98.2	%REC	5	12/16/2006 2:15:00 PM	TAL

Sample Narrative

SW-846 5030, 8260B, Volatile Organic Compounds by GC/MS
Elevated reporting limit due to high levels of target and/or non-target analytes.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-007
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 114064
Collection Date: 12/13/2006 11:14:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 3510C, 8270C SIMS, SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Acenaphthene	NELAP	0.0250		0.122	mg/L	250	12/19/2006 12:32:00 PM	TDN
Acenaphthylene	NELAP	0.00010		0.0209	mg/L	1	12/18/2006 5:29:00 PM	TDN
Anthracene	NELAP	0.00010		0.00140	mg/L	1	12/18/2006 5:29:00 PM	TDN
Benzo(a)anthracene	NELAP	0.00010		0.00023	mg/L	1	12/18/2006 5:29:00 PM	TDN
Benzo(a)pyrene	NELAP	0.00010		0.00011	mg/L	1	12/18/2006 5:29:00 PM	TDN
Benzo(b)fluoranthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 5:29:00 PM	TDN
Benzo(g,h,i)perylene	NELAP	0.00010		ND	mg/L	1	12/18/2006 5:29:00 PM	TDN
Benzo(k)fluoranthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 5:29:00 PM	TDN
Chrysene	NELAP	0.00010		0.00012	mg/L	1	12/18/2006 5:29:00 PM	TDN
Dibenzo(a,h)anthracene	NELAP	0.00010		ND	mg/L	1	12/18/2006 5:29:00 PM	TDN
Fluoranthene	NELAP	0.00010		0.00076	mg/L	1	12/18/2006 5:29:00 PM	TDN
Fluorene	NELAP	0.00010		0.0156	mg/L	1	12/18/2006 5:29:00 PM	TDN
Indeno(1,2,3-cd)pyrene	NELAP	0.00010		ND	mg/L	1	12/18/2006 5:29:00 PM	TDN
Naphthalene	NELAP	0.0250		5.26	mg/L	250	12/19/2006 12:32:00 PM	TDN
Phenanthrene	NELAP	0.00010		0.00551	mg/L	1	12/18/2006 5:29:00 PM	TDN
Pyrene	NELAP	0.00010		0.00103	mg/L	1	12/18/2006 5:29:00 PM	TDN
Total PNAs except Naphthalene		0.00006		0.109	mg/L	1	12/18/2006 5:29:00 PM	TDN
Surr: 2-Fluorobiphenyl		41.1-108	S	200.0	%REC	250	12/19/2006 12:32:00 PM	TDN
Surr: Nitrobenzene-d5		37.6-105	S	200.0	%REC	250	12/19/2006 12:32:00 PM	TDN
Surr: p-Terphenyl-d14		49-113		75.4	%REC	1	12/18/2006 5:29:00 PM	TDN
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	200		1080	µg/L	100	12/16/2006 3:58:00 AM	TAL
Ethylbenzene	NELAP	500		1110	µg/L	100	12/16/2006 3:58:00 AM	TAL
Naphthalene	NELAP	1000		5420	µg/L	100	12/16/2006 3:58:00 AM	TAL
Toluene	NELAP	500	J	170	µg/L	100	12/16/2006 3:58:00 AM	TAL
Xylenes, Total	NELAP	500		1020	µg/L	100	12/16/2006 3:58:00 AM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		103.0	%REC	100	12/16/2006 3:58:00 AM	TAL
Surr: 4-Bromofluorobenzene		83-113		103.5	%REC	100	12/16/2006 3:58:00 AM	TAL
Surr: Dibromofluoromethane		83.8-118		103.9	%REC	100	12/16/2006 3:58:00 AM	TAL
Surr: Toluene-d8		85.5-115		98.7	%REC	100	12/16/2006 3:58:00 AM	TAL

Sample Narrative

SW-846 3510C, 8270C SIMS, Semi-Volatile Organic Compounds by GC/MS

Surrogate recovery was outside QC limits due to sample dilution.

SW-846 5030, 8260B, Volatile Organic Compounds by GC/MS

Elevated reporting limit due to high levels of target and/or non-target analytes.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-008
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 114964
Collection Date: 12/13/2006 11:16:00 AM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 3510C, 8270C SIMS, SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Acenaphthene	NELAP	0.0250		0.140	mg/L	250	12/19/2006 1:09:00 PM	TDN
Acenaphthylene	NELAP	0.00010		0.0220	mg/L	1	12/18/2006 6:05:00 PM	TDN
Anthracene	NELAP	0.00010		0.00117	mg/L	1	12/18/2006 6:05:00 PM	TDN
Benzo(a)anthracene	NELAP	0.00010		0.00016	mg/L	1	12/18/2006 6:05:00 PM	TDN
Benzo(a)pyrene	NELAP	0.00010		ND	mg/L	1	12/18/2006 6:05:00 PM	TDN
Benzo(b)fluoranthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 6:05:00 PM	TDN
Benzo(g,h,i)perylene	NELAP	0.00010		ND	mg/L	1	12/18/2006 6:05:00 PM	TDN
Benzo(k)fluoranthene	NELAP	0.00010		ND	mg/L	1	12/18/2006 6:05:00 PM	TDN
Chrysene	NELAP	0.00010		ND	mg/L	1	12/18/2006 6:05:00 PM	TDN
Dibenzo(a,h)anthracene	NELAP	0.00010		ND	mg/L	1	12/18/2006 6:05:00 PM	TDN
Fluoranthene	NELAP	0.00010		0.00056	mg/L	1	12/18/2006 6:05:00 PM	TDN
Fluorene	NELAP	0.00010		0.0174	mg/L	1	12/18/2006 6:05:00 PM	TDN
Indeno(1,2,3-cd)pyrene	NELAP	0.00010		ND	mg/L	1	12/18/2006 6:05:00 PM	TDN
Naphthalene	NELAP	0.0250		5.98	mg/L	250	12/19/2006 1:09:00 PM	TDN
Phenanthrene	NELAP	0.00010		0.00584	mg/L	1	12/18/2006 6:05:00 PM	TDN
Pyrene	NELAP	0.00010		0.00083	mg/L	1	12/18/2006 6:05:00 PM	TDN
Total PNAs except Naphthalene		0.00006		0.115	mg/L	1	12/18/2006 6:05:00 PM	TDN
Surr: 2-Fluorobiphenyl		41.1-108	S	240.0	%REC	250	12/19/2006 1:09:00 PM	TDN
Surr: Nitrobenzene-d5		37.6-105	S	200.0	%REC	250	12/19/2006 1:09:00 PM	TDN
Surr: p-Terphenyl-d14		49-113		72.0	%REC	1	12/18/2006 6:05:00 PM	TDN
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	100		1130	µg/L	50	12/16/2006 8:52:00 PM	TAL
Ethylbenzene	NELAP	250		1170	µg/L	50	12/16/2006 8:52:00 PM	TAL
Naphthalene	NELAP	500		5830	µg/L	50	12/16/2006 8:52:00 PM	TAL
Toluene	NELAP	250	J	150	µg/L	50	12/16/2006 8:52:00 PM	TAL
Xylenes, Total	NELAP	250		984	µg/L	50	12/16/2006 8:52:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		99.4	%REC	50	12/16/2006 8:52:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		106.6	%REC	50	12/16/2006 8:52:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		101.6	%REC	50	12/16/2006 8:52:00 PM	TAL
Surr: Toluene-d8		85.5-115		99.4	%REC	50	12/16/2006 8:52:00 PM	TAL

Sample Narrative

SW-846 3510C, 8270C SIMS, Semi-Volatile Organic Compounds by GC/MS

Surrogate recovery was outside QC limits due to sample dilution.

SW-846 5030, 8260B, Volatile Organic Compounds by GC/MS

Elevated reporting limit due to high levels of target and/or non-target analytes.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-009
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: 115064
Collection Date: 12/13/2006 12:00:00 PM
Matrix: AQUEOUS

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		4.4	µg/L	1	12/16/2006 8:22:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	12/16/2006 8:22:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	12/16/2006 8:22:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	12/16/2006 8:22:00 PM	TAL
Xylenes, Total	NELAP	5.0	J	1.2	µg/L	1	12/16/2006 8:22:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		100.1	%REC	1	12/16/2006 8:22:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		105.0	%REC	1	12/16/2006 8:22:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		100.5	%REC	1	12/16/2006 8:22:00 PM	TAL
Surr: Toluene-d8		85.5-115		97.1	%REC	1	12/16/2006 8:22:00 PM	TAL

Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004
FAX: 618-344-1005

Laboratory Results

CLIENT: Kelron Environmental
WorkOrder: 06120390
Lab ID: 06120390-010
Report Date: 27-Dec-06

Client Project: CHMGP/162363
Client Sample ID: Trip Blank
Collection Date: 12/6/2006 2:45:00 PM
Matrix: TRIP BLANK

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS								
Benzene	NELAP	2.0		ND	µg/L	1	12/16/2006 11:42:00 AM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	12/16/2006 11:42:00 AM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	12/16/2006 11:42:00 AM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	12/16/2006 11:42:00 AM	TAL
Xylenes, Total	NELAP	5.0	J	1.0	µg/L	1	12/16/2006 11:42:00 AM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		101.5	%REC	1	12/16/2006 11:42:00 AM	TAL
Surr: 4-Bromofluorobenzene		83-113		103.4	%REC	1	12/16/2006 11:42:00 AM	TAL
Surr: Dibromofluoromethane		83.8-118		101.1	%REC	1	12/16/2006 11:42:00 AM	TAL
Surr: Toluene-d8		85.5-115		98.8	%REC	1	12/16/2006 11:42:00 AM	TAL

Sample Narrative