

Ameren Illinois Company d/b/a Ameren Illinois
Hourly Supply Service Monthly Charges, Purchased Electricity Adjustment and Retail Purchased Electricity Charges

Original Informational Sheet Supplemental to Sheet Nos.
 23-23.012 and 25-25.014 of Ill. C. C. No. 1 - Electric Service

Effective June 2016

Rider Basic Generation Service (BGS) and Rider Real Time Pricing (RTP)

	BGS-1		BGS-2			BGS-5
	<u>Delivery Voltage</u>		<u>Delivery Voltage</u>			<u>Delivery Voltage</u>
	<u>Secondary</u>	<u>Secondary</u>	<u>Primary</u>	<u>High Voltage</u>	<u>All</u>	
	(\$/kWh)		(\$/kWh)		(\$/kWh)	
Retail Purchased Electricity Charges:*						
Summer	4.637	5.561	5.370	5.268	3.680	
Non-Summer						
0-800 kWh	5.410	5.848	5.647	5.540	4.316	
>800 kWh	3.683					
	BGS-1 & RTP-1		BGS-2 & RTP-2			BGS-5
	<u>Delivery Voltage</u>		<u>Delivery Voltage</u>			<u>Delivery Voltage</u>
	<u>Secondary</u>	<u>Secondary</u>	<u>Primary</u>	<u>High Voltage</u>	<u>All</u>	
	(\$/kWh)		(\$/kWh)		(\$/kWh)	
Charges Applicable to all kWh for BGS and RTP:						
Purchased Electricity Adjustment	(0.052)	(0.052)	(0.052)	(0.052)	(0.052)	
Supply Cost Adjustment**	0.136	0.075	0.073	0.071	0.054	
Supply Cost Adjustment***	(0.030)	0.000	0.000	0.000	0.000	
	RTP-1		RTP-2			
	<u>Delivery Voltage</u>		<u>Delivery Voltage</u>			
	<u>Secondary</u>	<u>Secondary</u>	<u>Primary</u>	<u>High Voltage</u>		
	(\$/kWh)		(\$/kWh)			
Charges Applicable RTP:						
Supplier Charge						
Summer	0.677	0.677	0.677	0.677		
Non-Summer		0.784	0.784	0.784		
0-800	1.293					
> 800	0.000					
Hourly Energy Charge:****						
	Energy Charge +++++RTP Price Posted on www.ameren.com, see Energy Charge Below+++++					

* Prices filed pursuant to Rider PER - Purchased Electricity Recovery, effective June 2016. Non-Summer rates may change in the Fall of 2016.

** Supply Cost Adjustment factors updated effective June 2016. Charges based on calendar month.

*** Supply Cost Adjustment factors for Rider EUA, to be combined with the non-EUA Supply Cost Adjustment factor for billing. EUA charges assessed on billing cycle usage.

**** Customer's billing quantities will be adjusted for applicable losses.

Rider Hourly Supply Service (HSS)

Supplier Charge:			
Capacity Cost (\$/PLC-Day)	\$	0.070890	All Voltages
Energy Charge:*			
Locational Marginal Price (LMP)		Price Posted at www.ameren.com	
Ancillary Services Energy Cost (\$/kWh)**		0.006	
Renewable Energy Compliance Cost (\$/kWh)**		0.017	
Market Settlement Cost (\$/kWh)		(0.036)	
Total Energy Charge		Sum of Energy Charges Above	
Supply Balancing Adjustment (\$/kWh):***		0.108	Applicable to February 2016 Usage
Supply Cost Adjustment:			
Supply Cost Adj. - Procurement Charge:****		0.021	(\$/kWh)
Supply Cost Adj. - Cash Working Capital Factor:****		0.643% of Supplier Charge, Energy Charge and Supply Cost Adj - Procurement charge	
		DS-3/DS-6*****	DS-4/DS-6*****
Supply Cost Adj. - Uncollectible Factor:****		1.037%	0.000% of Supplier Charge, Energy Charge, Supply Cost Adj - Procurement charge and Supply Cost Adj - Cash Working Capital Factor
Supply Cost Adj. - Rider EUA:****		0.000	0.000 (\$/kWh)

* Customer's billing quantities shall be adjusted for applicable losses.

** The MISO Ancillary Service Market for Reserve Services began in January 2009. Renewable Energy Compliance began in June 2010.

*** Certain market settlement costs are not available in real-time, so this factor is not applied to the Customer's respective HSS usage until the Supply Balancing Adjustment (SBA) factor has been determined for the respective HSS load. The MISO performs several settlement steps causing a lag in the determination of the settlement costs. Once these settlement costs have been identified for the respective HSS load, the SBA will be determined and applied to that applicable HSS usage.

**** Supply Cost Adjustment is the "Adjustments to the Retail Supply Charges" as referenced in Rider HSS and Rider PER, determined in Docket No. 15-00305.

***** Supply Cost Adjustment factor for Rider EUA. Charge assessed on billing cycle usage.

***** DS-6 (Temperature Sensitive DS) is an optional rate for DS-3 and DS-4 Customers.